

	Type	Ref #	Hits	Search Text
1	BRS	S161	1	layer with different near concetration
2	BRS	S162	1330	concentration near2 drug same polymer
3	BRS	S163	966	concentration near2 drug same polymer and coating
4	BRS	S164	415	concentration near2 drug same polymer same coating
5	BRS	S165	81	concentration near2 drug same polymer same coating and dispensing
6	BRS	S166	64	coating near apparatus same stent
7	BRS	S167	229	mix\$3 same dispens\$3 and stent and coating
8	BRS	S168	1	electrospray same stent same coating
9	BRS	S169	0	electrospray same mix near ingredient\$
10	BRS	S170	1	electrospray same mix\$3 near (concentration ingredient\$)
11	BRS	S171	942	electrospray and mix\$3 near (concentration ingredient\$)
12	BRS	S172	25	electrospray and mix\$3 near (concentration ingredient\$) and stent
13	BRS	S173	99	electrospray and mix\$3 near (concentration ingredient\$) and implant
14	BRS	S174	14	electrospray and mix\$3 near (concentration ingredient\$) and implant same coat\$3

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>
<b>1</b>	US-PGPUB; USPAT; USOCR	2006/04/03 10:13		
<b>2</b>	US-PGPUB; USPAT; USOCR	2006/04/03 10:14		
<b>3</b>	US-PGPUB; USPAT; USOCR	2006/04/03 10:14		
<b>4</b>	US-PGPUB; USPAT; USOCR	2006/04/03 10:14		
<b>5</b>	US-PGPUB; USPAT; USOCR	2006/04/03 10:15		
<b>6</b>	US-PGPUB; USPAT; USOCR	2006/04/03 10:38		
<b>7</b>	US-PGPUB; USPAT; USOCR	2006/04/03 11:04		
<b>8</b>	US-PGPUB; USPAT; USOCR	2006/04/03 11:17		
<b>9</b>	US-PGPUB; USPAT; USOCR	2006/04/03 11:17		
<b>10</b>	US-PGPUB; USPAT; USOCR	2006/04/03 11:19		
<b>11</b>	US-PGPUB; USPAT; USOCR	2006/04/03 11:20		
<b>12</b>	US-PGPUB; USPAT; USOCR	2006/04/03 11:19		
<b>13</b>	US-PGPUB; USPAT; USOCR	2006/04/03 11:20		
<b>14</b>	US-PGPUB; USPAT; USOCR	2006/04/03 11:20		

	<b>Errors</b>
<b>1</b>	
<b>2</b>	
<b>3</b>	
<b>4</b>	
<b>5</b>	
<b>6</b>	
<b>7</b>	
<b>8</b>	
<b>9</b>	
<b>10</b>	
<b>11</b>	
<b>12</b>	
<b>13</b>	
<b>14</b>	